

E-SERIES - EMBEDDED RECORDERS

OE2-E120 OE2-E480



DESCRIPTION

OpenEye's E-Series DVR is a powerful yet affordable video management solution designed for easy installation and operation. The OpenEye E-Series DVR comes ready for fast and seamless integration within your existing IT infrastructure and offers guick search, setup, and backup features.

The E-Series DVR offers unparalleled stability, security and ease of use in a 2U chassis. With quick setup, an easy three-click backup, the E-Series DVR offers you a reliable, easy to operate and administer security solution. Remote management of the E-Series has never been easier. Using the RADIUS remote software multiple remote users can view, search and backup data for off-site video storage as well as configure the DVR and perform remote software updates. Built with the quality and expertise users have come to expect from OpenEye, the E-Series is up to the task for your next professional installation.

HIGHLIGHTS

- » Includes Free Multi-Site Enterprise Level Management and Monitoring Software
- » One Year Advance Replacement Warranty
- » Configuration Wizard for Quick Setup
- » Remotely Upgradable Firmware
- » Free DDNS for Life of Product
- » 2-Way Audio
- » Remote Health Check and E-mail Notification
- » Easy 3-Click Export of Video to CD/DVD or USB Storage Devices
- » Independent Channel Quality, Resolution and Frame Rate Settings
- » Pre-configured for Continuous Recording

E-SERIES - EMBEDDED RECORDERS

PRODUCT SPECIFICATIONS					
	OE2-E12004	OE2-E12008	OE2-E12016	OE2-E48016	
Camera Channels	4	8	16	16	
Looping Outputs	4	8	16	16	
Max PPS Per Channel	30 PPS				
Recording Rate	120 PPS 480 PPS			480 PPS	
Live Display Rate	30 PPS				
Audio Channels	1			16	
Video Outputs	1 VGA, 1 BNC, 1 Spot 1 V		1 VGA, 1 BNC, 3	VGA, 1 BNC, 3 Spot, 1 S-Video	
Digital Relay Outputs	1 4		4		
Alarm Sensor Inputs	4	8	1	6	
Image Compression	MPEG-4				
Recording Resolutions	NTSC: 704x480, 704x240, 352x240 PAL: 704x576, 704x288, 352x288				
Video Signal Loss Detection	Yes				
Motion Detection	Adjustable Sensitivity, Custom Grid				
Remote Operation	LAN / WAN - TCP/IP				
Remote Software	Setup Access, Live View, PTZ, Firmware Updates				
PTZ Control	Included RS-422 & RS-485 Interface				
Recording Mode	Continuous, Motion Detection, Alarm				
Playback Search	Multiple Enhanced Search Capabilities				
Backup	DVD-RW, USB				
Digital Signature Support	Yes				
Dynamic DNS	Free for Life of Product				
Operating System	Linux® Embedded				
Storage (Size)	250GB / 500GB / 1TB	250GB / 500GB / 1TB / 2TB	500GB / 1TE	B / 2TB / 4TB	
External Storage Options	N/A				
Dimensions	L: 15" (380mm) x W: 15.75" (400mm) x H: 3.5" (90mm)				
Warranty	3 Years / 1 Year Advance Replacement				

E-SERIES MODELS			
OE2-E12004	4 Channel 120PPS DVR		
OE2-E12008	4 Channel 120PPS DVR		
OE2-E12016	16 Channel 120PPS DVR		
OE2-E48016	16 Channel 480PPS DVR		

Storage Available: 250GB, 500GB,1TB, 2TB, 4TB

SOFTWARE SOLUTIONS Included With Every E-Series DVR


Standard Remote Software (Manage one DVR at a time)

RADIUS Multi-Site Management Software (Manages 100+ DVRs simultaneously)


E-SERIES - EMBEDDED RECORDERS

SYSTEM IMAGES


FRONT



BACK



SIDE



ACCESSORIES / UPGRADES

HARDWARE

AC-OE2ERACK 2U 19" Embedded Rack Mount Kit for

OE2-E Series Recorders.

AC-OE2EREMOTE E-Series Embedded Remote Control.

SOFTWARE

SW-RADIUS-NVR4 Radius 4CH NVR Upgrade License.

4CH Network Video Recording License Upgrade to Radius Software. *Supports most major manufacturer's network cameras and video encoders (JPEG, MPEG4, & H.264).

SW-RADIUS-NVR8

Radius 8CH NVR Upgrade License 8CH Network Video Recording License Upgrade to Radius Software. *Supports most major manufacturer's network cameras and video encoders (JPEG, MPEG4, & H.264).

* Visit www.openeye.net for the latest list of supported network cameras & minimum PC performance requirements.

